



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 2
290 BROADWAY
NEW YORK, NY 10007-1866

AUG 21 2017

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Article Number: 7017 1450 0000 0133 4606

James Rothenburg
Ben Weitsman of Syracuse, LLC
333 Bridge Street
Solvay, New York 13209

Re: **July 9, 2017 Request for Extension
Administrative Compliance Order and Information Request
Ben Weitsman of Syracuse, LLC
CWA-02-2017-3036
SPDES Tracking No. NYR00D751**

Dear Mr. Rothenburg:

We are in receipt of a June 28, 2017 email and a July 9, 2017, letter from Plumley Engineering, your engineering consultant, where you are requesting a time extension to comply with paragraphs D.2 and D.3 of the subject Order. Based on the information provided in the letter, EPA is granting your extension requests for paragraphs D.2 and D.3 and therefore please submit:

- a. A modified Stormwater Pollution Prevention Plan ("SWPPP") required by paragraph D.2 of the Order by September 30, 2017 (instead of original due date of June 30, 2017);
- b. The written certification statement of SWPPP Implementation and MSGP compliance required by paragraph D.3 of the Order by November 30, 2017 (instead of original due date of August 15, 2017).

If you have any questions regarding this Order, please contact Justine Modigliani, P.E., Chief, Compliance Section at (212) 637-4268.

Sincerely,

A handwritten signature in blue ink, appearing to read "D. La Posta".

Dore La Posta, Director
Division of Enforcement and Compliance Assistance

cc: Ben Weitsman and Son of Syracuse, LLC, 15 West Main Street, Owego, NY 13827
Dale R. Vollmer, P.E., Plumley Engineering
Joseph DiMura, P.E., Director, Bureau of Water Compliance Programs, NYSDEC (w/enclosure)
Ryan Waldron, NYSDEC via email
Meredith Streeter, NYSDEC via email